

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
1	0	((seal\$3 near3 (enclosure device system apparatus)) and (exchange near2 key)).ab.	USPAT; US-PGPUB; EPO; JPO	2004/08/16 10:55
2	0	((seal\$3 with (enclosure device system apparatus)) and (exchange near2 key)).ab.	USPAT; US-PGPUB; EPO; JPO	2004/08/16 10:56
3	41	((seal\$3 near3 (enclosure device system apparatus)) and (exchange near2 key))	USPAT; US-PGPUB; EPO; JPO	2004/08/16 10:56
4	3279	"14" and plastic	USPAT; US-PGPUB; EPO; JPO	2004/08/16 10:56
5	22	((seal\$3 near3 (enclosure device system apparatus)) and (exchange near2 key))) and plastic	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:00
6	1	((seal\$3 near3 (enclosure device system apparatus)) and (exchange near2 key))) and plastic and @py<2000	USPAT; US-PGPUB; EPO; JPO	2004/08/16 10:57
7	16	"4897875" and @py<2000	USPAT; US-PGPUB; EPO; JPO	2004/08/16 10:59
8	996	(seal\$3 with (plastic near3 bag)).ab.	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:01
9	0	((seal\$3 with (plastic near3 bag)).ab.) and (key near3 exchang\$3)	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:02
10	0	((seal\$3 with (plastic near3 bag)).ab.) and (exchang\$3 with key)	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:02
11	1	((seal\$3 with (plastic near3 bag)).ab.) and (devic\$3 near4 communicat\$3)	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:03
12	91	((seal\$3 with (plastic near3 bag)).ab.) and communicat\$3	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:03
13	0	((seal\$3 with (plastic near3 bag)).ab.) and communicat\$3) and (prent\$3 with electromagentic with radiation)	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:16
14	0	((seal\$3 with (plastic near3 bag)).ab.) and (prent\$3 with electromagentic with radiation)	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:16
15	0	((seal\$3 with (plastic near3 bag)).ab.) and (prevent\$3 with electromagentic with radiation)	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:16
16	0	((seal\$3 near3 (enclosure device system apparatus)) and (exchange near2 key))) and (prevent\$3 with electromagentic with radiation)	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:16
17	1	(prevent\$3 with electromagentic with radiation) and (bag container)	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:19
18	14	"3935415"	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:18
19	0	((prevent\$3 with electromagentic with radiation) same (bag container)).ab.	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:19
20	0	((prevent\$3 with electromagentic with radiation) same (bag container))	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:20
21	4	((prevent\$3 leak disclose)with (electromagentic adj radiation))	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:22
22	3	(electromagentic adj radiation) with prevent\$3	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:23
23	50	"3271169"	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:23

24	41	"3271169" and plastic	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:24
25	0	("3271169" and plastic) and (device\$3 with (communicat\$3 exhchang\$3 pass))	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:24
26	0	("3271169" and plastic) and (device\$3 with (communicat\$3 exhchang\$3 pass))	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:24
27	19	("3271169" and plastic) and (communicat\$3 exhchang\$3 pass)	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:34
28	373	Electromagnetic with (radiation wave pulse) with (prevent\$3 obsor\$3 protect\$3) with (sheet foil bag)	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:35
29	0	(Electromagnetic with (radiation wave pulse) with (prevent\$3 obsor\$3 protect\$3) with (sheet foil bag)) and (713/171.ccls.)	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:36
30	0	(Electromagnetic with (radiation wave pulse) with (prevent\$3 obsor\$3 protect\$3) with (sheet foil bag)) and (713/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:36
31	0	(Electromagnetic with (radiation wave pulse) with (prevent\$3 obsor\$3 protect\$3) with (sheet foil bag)) and (380/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:36
32	0	(Electromagnetic with (radiation wave pulse) with (prevent\$3 obsor\$3 protect\$3) with (sheet foil bag)) and (713/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:37
33	20643	713/\$.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:37
34	0	713/\$.ccls. and (Electromagnetic with (radiation wave pulse) with (prevent\$3 obsor\$3 protect\$3) with (sheet foil bag))	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:37
35	96	(Electromagnetic with (radiation wave pulse) with (prevent\$3 obsor\$3 protect\$3) with (sheet foil bag)) and seal\$3	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:45
36	162	(Electromagnetic with (radiation wave pulse) with (prevent\$3 obsor\$3 protect\$3) with (sheet foil bag)) and (seal\$3 clos\$3)	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:47
37	135	((Electromagnetic with (radiation wave pulse) with (prevent\$3 obsor\$3 protect\$3) with (sheet foil bag)) and (seal\$3 clos\$3)) and (plastic metal glass)	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:49
38	31	((Electromagnetic with (radiation wave pulse) with (prevent\$3 obsor\$3 protect\$3) with (sheet foil bag)) and (seal\$3 clos\$3)) and (plastic metal glass)) and (exchang\$3 communicat\$3)	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:49
39	64	((Electromagnetic with (radiation wave pulse) with (prevent\$3 obsor\$3 protect\$3) with (sheet foil bag)) and (seal\$3 clos\$3)) and (plastic metal glass) and @py<2000	USPAT; US-PGPUB; EPO; JPO	2004/08/16 11:51
40	23	((Electromagnetic with (radiation wave pulse) with (prevent\$3 obsor\$3 protect\$3) with (sheet foil bag)) and (seal\$3 clos\$3)) and (plastic metal glass) and @py<2000 and (bag container)	USPAT; US-PGPUB; EPO; JPO	2004/08/16 12:32
41	10	"4915222"	USPAT; US-PGPUB; EPO; JPO	2004/08/16 12:59
42	206	"4575621"	USPAT; US-PGPUB; EPO; JPO	2004/08/16 12:59
43	7	"4575621" and ((seal\$3 clos\$3) with (bag container packag\$3))	USPAT; US-PGPUB; EPO; JPO	2004/08/16 13:02
44	4	"4575621" and ((seal\$3 clos\$3) with (plastic glass metal))	USPAT; US-PGPUB; EPO; JPO	2004/08/16 13:04
45	19	"5117457" and @py<2001	USPAT; US-PGPUB; EPO; JPO	2004/08/16 13:04

-	0	"secure enclosure for key exchange".ti.	USPAT; US-PGPUB; EPO; JPO	2004/04/17 12:33
-	0	"secure enclosure for key exchange".ab.	USPAT; US-PGPUB; EPO; JPO	2004/04/17 10:38
-	0	"secure enclosure for key exchange"	USPAT; US-PGPUB; EPO; JPO	2004/04/17 10:38
-	8	"secure key exchange".ti.	USPAT; US-PGPUB; EPO; JPO	2004/04/17 10:41
-	3	"secure key exchange".ab.	USPAT; US-PGPUB; EPO; JPO	2004/04/17 10:55
-	131	"secure key exchange"	USPAT; US-PGPUB; EPO; JPO	2004/04/17 10:55
-	20	"secure key exchange" and @py<2000	USPAT; US-PGPUB; EPO; JPO	2004/04/17 11:09
-	107575	enclosure and @py<2000	USPAT; US-PGPUB; EPO; JPO	2004/04/17 11:10
-	43118	(enclosure and @py<2000) and seal\$3	USPAT; US-PGPUB; EPO; JPO	2004/04/17 11:10
-	45	((enclosure and @py<2000) and seal\$3) and (exchange with key)	USPAT; US-PGPUB; EPO; JPO	2004/04/17 11:11
-	29	((enclosure and @py<2000) and seal\$3) and (exchange with key)) and (secure secret mutual)	USPAT; US-PGPUB; EPO; JPO	2004/04/17 11:11
-	29	((enclosure and @py<2000) and seal\$3) and (exchange with key)) and (secure secret mutual)) and electronics	USPAT; US-PGPUB; EPO; JPO	2004/04/17 11:11
-	0	electronics same device same sealed same enclosure same secure same key same exchange	USPAT; US-PGPUB; EPO; JPO	2004/04/17 12:35
-	404	electronics same device same sealed same enclosure	USPAT; US-PGPUB; EPO; JPO	2004/04/17 12:36
-	1534	electronics same device same sealed same (enclosure package envelope container)	USPAT; US-PGPUB; EPO; JPO	2004/04/17 12:56
-	1	(electronics same device same sealed same (enclosure package envelope container)) and (key with exchange)	USPAT; US-PGPUB; EPO; JPO	2004/04/17 12:37
-	314	(electronics same device same sealed same (enclosure package envelope container)) and secure	USPAT; US-PGPUB; EPO; JPO	2004/04/17 12:38
-	0	((electronics same device same sealed same (enclosure package envelope container)) and secure) and "key exchange"	USPAT; US-PGPUB; EPO; JPO	2004/04/17 12:38
-	147	((electronics same device same sealed same (enclosure package envelope container)) and secure) and @py<2000	USPAT; US-PGPUB; EPO; JPO	2004/04/17 12:39
-	12	((electronics same device same sealed same (enclosure package envelope container)) and secure) and @py<2000) and key) and (exchange communicate authenticate authorize)	USPAT; US-PGPUB; EPO; JPO	2004/04/17 12:39
-	28	((electronics same device same sealed same (enclosure package envelope container)) and secure) and @py<2000) and key	USPAT; US-PGPUB; EPO; JPO	2004/04/17 12:39
-	1189	(electronics same device same sealed same (enclosure package envelope container)) and (plastic metal)	USPAT; US-PGPUB; EPO; JPO	2004/04/17 12:56
-	1242	(electronics same device same sealed same (enclosure package envelope container)) and (plastic metal glass)	USPAT; US-PGPUB; EPO; JPO	2004/04/17 12:57

-	105	((electronics same device same sealed same (enclosure package envelope container)) and (plastic metal glass)) and compartment\$3	USPAT; US-PGPUB; EPO; JPO	2004/04/17 12:57
-	22	((electronics same device same sealed same (enclosure package envelope container)) and (plastic metal glass)) and compartment\$3) and key	USPAT; US-PGPUB; EPO; JPO	2004/04/17 13:01
-	287	713/171.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/04/17 13:02
-	111	713/171.ccls. and @py<2001	USPAT; US-PGPUB; EPO; JPO	2004/04/17 13:02
-	233	713/171.ccls. and (envelop\$3 enclosur\$3 contain\$4 packag\$3)	USPAT; US-PGPUB; EPO; JPO	2004/04/17 13:04
-	118	(713/171.ccls. and (envelop\$3 enclosur\$3 contain\$4 packag\$3)) and (key with exchange)	USPAT; US-PGPUB; EPO; JPO	2004/04/17 13:04
-	625	"118" and (plastic glass metal)	USPAT; US-PGPUB; EPO; JPO	2004/04/17 13:05
-	6	((713/171.ccls. and (envelop\$3 enclosur\$3 contain\$4 packag\$3)) and (key with exchange)) and (plastic glass metal)	USPAT; US-PGPUB; EPO; JPO	2004/04/17 13:39
-	724	713/168.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/04/17 13:46
-	159	713/168.ccls. and @py<2001	USPAT; US-PGPUB; EPO; JPO	2004/04/18 13:47
-	44	((713/168.ccls. and @py<2001) and (enclosure packag\$3 container envelop\$3)) and key	USPAT; US-PGPUB; EPO; JPO	2004/04/17 14:04
-	51	(713/168.ccls. and @py<2001) and (enclosure packag\$3 container envelop\$3)	USPAT; US-PGPUB; EPO; JPO	2004/04/17 13:48
-	0	"sealing the enclosure".ab.	USPAT; US-PGPUB; EPO; JPO	2004/04/18 08:47
-	0	"sealing the container".ab.	USPAT; US-PGPUB; EPO; JPO	2004/04/18 08:47
-	1583	sealing same enclosure.ab.	USPAT; US-PGPUB; EPO; JPO	2004/04/18 09:22
-	0	sealing same enclosure.ab. and 713/171.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/04/18 08:50
-	724	713/168.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/04/18 08:50
-	0	713/168.ccls. and (sealing same enclosure.ab.)	USPAT; US-PGPUB; EPO; JPO	2004/04/18 08:50
-	0	713/168.ccls. and (sealing same enclosure)	USPAT; US-PGPUB; EPO; JPO	2004/04/18 08:50
-	0	713/168.ccls. and (sealing same container)	USPAT; US-PGPUB; EPO; JPO	2004/04/18 08:51
-	73	(sealing same enclosure.ab.) and (electronic near4 device)	USPAT; US-PGPUB; EPO; JPO	2004/04/18 09:03
-	45	(sealing same enclosure.ab.) and (electronic near4 devices)	USPAT; US-PGPUB; EPO; JPO	2004/04/18 09:04
-	173	(enclosure same electronic same devices).ab.	USPAT; US-PGPUB; EPO; JPO	2004/04/18 09:23

-	85	((enclosure same electronic same devices).ab.) and @py<2001	USPAT; US-PGPUB; EPO; JPO	2004/04/18 09:28
-	17	((enclosure same electronic same devices).ab.) and @py<2001) and key	USPAT; US-PGPUB; EPO; JPO	2004/04/18 09:23
-	0	((enclosure same electronic same devices).ab.) and @py<2001) and authenticat\$3	USPAT; US-PGPUB; EPO; JPO	2004/04/18 09:29
-	4	((enclosure same electronic same devices).ab.) and @py<2001) and authoriz\$5	USPAT; US-PGPUB; EPO; JPO	2004/04/18 09:29
-	3090	bluetooth and transmitter	USPAT; US-PGPUB; EPO; JPO	2004/04/18 11:53
-	88	(bluetooth and transmitter) and ("physically connected")	USPAT; US-PGPUB; EPO; JPO	2004/04/18 15:45
-	0	(bluetooth and transmitter) and ("physically connected")and communicate and @py<2000	USPAT; US-PGPUB; EPO; JPO	2004/04/18 11:54
-	1	(bluetooth and transmitter) and ("physically connected")and communicate and @py<2001	USPAT; US-PGPUB; EPO; JPO	2004/04/18 11:54
-	80	(bluetooth and transmitter) and ("physically connected")and communicate	USPAT; US-PGPUB; EPO; JPO	2004/04/18 11:55
-	0	(bluetooth and transmitter) and ("physically connected")and communicate and 713/171.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/04/18 11:55
-	2	(bluetooth and transmitter) and ("physically connected")and communicate and 713/168.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/04/18 11:56
-	444647	(enclos\$4 envelop\$4 contrain\$4) and (seal\$4 clos\$4 fasten\$4 shut\$4) and (device module gadget tool machine apparatus)	USPAT; US-PGPUB; EPO; JPO	2004/04/18 11:59
-	586874	(enclos\$4 or envelop\$4 or contrain\$4) and @py<2002	USPAT; US-PGPUB; EPO; JPO	2004/04/18 11:59
-	423744	((enclos\$4 or envelop\$4 or contrain\$4) and @py<2002) and (seal\$4 clos\$4 fasten\$4 shut\$4)	USPAT; US-PGPUB; EPO; JPO	2004/04/18 12:00
-	342811	((enclos\$4 or envelop\$4 or contrain\$4) and @py<2002) and (seal\$4 clos\$4 fasten\$4 shut\$4)) and (device or module or gadget or tool or machine or apparatus)	USPAT; US-PGPUB; EPO; JPO	2004/04/18 12:01
-	40983	((enclos\$4 or envelop\$4 or contrain\$4) and @py<2002) and (seal\$4 clos\$4 fasten\$4 shut\$4)) and (device or module or gadget or tool or machine or apparatus) and exchang\$3	USPAT; US-PGPUB; EPO; JPO	2004/04/18 12:02
-	6785	((enclos\$4 or envelop\$4 or contrain\$4) and @py<2002) and (seal\$4 clos\$4 fasten\$4 shut\$4)) and (device or module or gadget or tool or machine or apparatus) and exchang\$3) and key	USPAT; US-PGPUB; EPO; JPO	2004/04/18 12:02
-	3098	((enclos\$4 or envelop\$4 or contrain\$4) and @py<2002) and (seal\$4 clos\$4 fasten\$4 shut\$4)) and (device or module or gadget or tool or machine or apparatus) and exchang\$3) and key) and electronic	USPAT; US-PGPUB; EPO; JPO	2004/04/18 12:08
-	1825	((enclos\$4 or envelop\$4 or contrain\$4) and @py<2002) and (seal\$4 clos\$4 fasten\$4 shut\$4)) and (device or module or gadget or tool or machine or apparatus) and exchang\$3) and key) and electronic) and (plastic or glass or metal)	USPAT; US-PGPUB; EPO; JPO	2004/04/18 12:06

-	2	(((((enclos\$4 or envelop\$4 or contrain\$4) and @py<2002) and (seal\$4 clos\$4 fasten\$4 shut\$4)) and (device or module or gadget or tool or machine or apparatus) and exchang\$3) and key) and electronic) and (plastic or glass or metal)) and bluetooth	USPAT; US-PGPUB; EPO; JPO	2004/04/18 12:05
-	0	(((((enclos\$4 or envelop\$4 or contrain\$4) and @py<2002) and (seal\$4 clos\$4 fasten\$4 shut\$4)) and (device or module or gadget or tool or machine or apparatus) and exchang\$3) and key) and electronic) and (plastic or glass or metal)) and "bluetooth transmitter"	USPAT; US-PGPUB; EPO; JPO	2004/04/18 12:05
-	769	(((((enclos\$4 or envelop\$4 or contrain\$4) and @py<2002) and (seal\$4 clos\$4 fasten\$4 shut\$4)) and (device or module or gadget or tool or machine or apparatus) and exchang\$3) and key) and electronic) and transmitter	USPAT; US-PGPUB; EPO; JPO	2004/04/18 12:06
-	494	(((((enclos\$4 or envelop\$4 or contrain\$4) and @py<2002) and (seal\$4 clos\$4 fasten\$4 shut\$4)) and (device or module or gadget or tool or machine or apparatus) and exchang\$3) and key) and electronic) and transmitter and radio	USPAT; US-PGPUB; EPO; JPO	2004/04/18 12:06
-	17	(((((enclos\$4 or envelop\$4 or contrain\$4) and @py<2002) and (seal\$4 clos\$4 fasten\$4 shut\$4)) and (device or module or gadget or tool or machine or apparatus) and exchang\$3) and key) and electronic) and transmitter and "optical cable"	USPAT; US-PGPUB; EPO; JPO	2004/04/18 12:06
-	388	(((((enclos\$4 or envelop\$4 or contrain\$4) and @py<2002) and (seal\$4 clos\$4 fasten\$4 shut\$4)) and (device or module or gadget or tool or machine or apparatus) and exchang\$3) and key) and electronic and authentication	USPAT; US-PGPUB; EPO; JPO	2004/04/18 12:08
-	58	(((((enclos\$4 or envelop\$4 or contrain\$4) and @py<2002) and (seal\$4 clos\$4 fasten\$4 shut\$4)) and (device or module or gadget or tool or machine or apparatus) and exchang\$3) and key) and electronic and authentication and "key exchange"	USPAT; US-PGPUB; EPO; JPO	2004/04/18 12:08
-	0	713/168.ccls. and @py<2001 and "plastic bag"	USPAT; US-PGPUB; EPO; JPO	2004/04/18 13:47
-	12909	"plastic bag" and @py<2000	USPAT; US-PGPUB; EPO; JPO	2004/04/18 13:47
-	4580	("plastic bag" and @py<2000) and metal	USPAT; US-PGPUB; EPO; JPO	2004/04/18 13:48
-	480	((("plastic bag" and @py<2000) and metal) and enclosure	USPAT; US-PGPUB; EPO; JPO	2004/04/18 13:48
-	258	((("plastic bag" and @py<2000) and metal) and enclosure) and seal	USPAT; US-PGPUB; EPO; JPO	2004/04/18 16:11
-	0	(((("plastic bag" and @py<2000) and metal) and enclosure) and seal) and "electronic devices"	USPAT; US-PGPUB; EPO; JPO	2004/04/18 13:48
-	15	(((("plastic bag" and @py<2000) and metal) and enclosure) and seal) and (electronic near4 (devices gadgets tools apparatus machines modules))	USPAT; US-PGPUB; EPO; JPO	2004/04/18 13:49
-	13	(bluetooth and transmitter) and ("physically connected") and PCMCIA	USPAT; US-PGPUB; EPO; JPO	2004/04/18 15:45
-	0	"wireless key exchange".ab.	USPAT; US-PGPUB; EPO; JPO	2004/04/18 16:12

-	0	"wireless key exchange".ti.	USPAT; US-PGPUB; EPO; JPO	2004/04/18 16:12
-	1	"wireless key exchange"	USPAT; US-PGPUB; EPO; JPO	2004/04/18 16:12
-	1842	"key exchange"	USPAT; US-PGPUB; EPO; JPO	2004/04/18 16:12
-	818	"key exchange" and wireless	USPAT; US-PGPUB; EPO; JPO	2004/04/18 16:12
-	119	("key exchange" and wireless) and bluetooth	USPAT; US-PGPUB; EPO; JPO	2004/04/18 16:19
-	1	((("key exchange" and wireless) and bluetooth) and cord	USPAT; US-PGPUB; EPO; JPO	2004/04/18 16:13
-	0	((("key exchange" and wireless) and bluetooth) and (connecting with cord)	USPAT; US-PGPUB; EPO; JPO	2004/04/18 16:15
-	5	((("key exchange" and wireless) and bluetooth) and PCMCIA	USPAT; US-PGPUB; EPO; JPO	2004/04/18 16:15
-	8	("key exchange" and wireless) and bluetooth and "second device"	USPAT; US-PGPUB; EPO; JPO	2004/04/18 16:19